

**Exam : Microsoft 70-526(C++)**

**Title : Microsoft .NET Framework  
2.0 - Windows-based Client  
Development is in  
development**

**Version : Demo**



## Top 3 Customers in Test4pass - Best IT certifications Team



Abbigail, who is proficient in Microsoft technology. After read our Study guides of Microsoft , She think test4pass is the best for IT candidates.

is the best for IT candidates.



Ramsden, who was majored in Manager IT technologys. He has many years of education experience. With his help, many of his candidates have won the certificate. he said:

test4pass' materials are the real one!



The IT experts of American company are training with test4pass braindumps, the manager of the company said: that will help them a lot

by using test4pass.

### HOT Certifications On Test4pass

#### Cisco Certifications

[CCNA](#) [CCDA](#) [CCNP](#) [CCDP](#) [CCVP](#) [CCSP](#) [CCIP](#) [CCIE](#) [CCDE](#) [Data Center](#) [Sales Expert](#)

#### Microsoft Certifications

[MCP](#) [MCSE](#) [MCITP](#) [MCTS](#) [MCSE2003](#) [MCPD](#) [MCSD.NET](#) [MCDST](#) [TS](#) [Exchange Server2007](#)  
[MCSE2003 Security](#) [MCSE2003 Messaging](#) [Microsoft Business Solutions](#)

#### IBM Certifications

[Certified Administrator](#) [Certified Systems Expert](#) [Solutions Expert](#) [System Administrator](#)  
[DB2](#) [Certified Advanced Technical Expert](#) [Certified Advanced System Administrator](#)  
[Lotus Certification](#) [WebSphere](#) [Cognos 8 BI](#) [Certified Associate Developer](#) [Tivoli Software](#)

#### CompTIA Certifications

[A+](#) [CDIA+](#) [CTT+](#) [e-Biz+](#) [CompTIA HTI+](#) [i-NET+](#) [Linux+](#) [Network+](#) [Project+](#) [RFID+](#) [Security+](#)  
[Server+](#) [PDI+](#) [Convergence+](#)

1. You need to create a Windows Forms application that uses a nonrectangular form as its user interface. What should you do?

A. Set the `FormBorderStyle` property of the form to `None`.

Set the `BackgroundImage` property of the form to a bitmap file that represents the shape you want the form to take.

Set the `TransparencyKey` property to the background color of the bitmap file.

B. Set the `FormBorderStyle` property of the form to `None`.

Set the `BackgroundImage` property of the form to a bitmap file that represents the shape you want the form to take.

Set the `TransparencyKey` property to `Transparent`.

C. Set the `FormBorderStyle` and `BackgroundImageLayout` properties to `None`.

Set the `BackgroundImage` property of the form to a bitmap file that represents the shape you want the form to take.

Set the `TransparencyKey` property to `Transparent`.

D. Set the `FormBorderStyle` property to `None` and the `BackColor` property to `Control`.

Set the `BackgroundImage` property of the form to a bitmap file that represents the shape you want the form to take.

Set the `TransparencyKey` property to `Transparent`.

**Answer:** A

2. You are creating a Windows Form. You add a `TableLayoutPanel` control named `pnlLayout` to the form. You set the properties of `pnlLayout` so that it will resize with the form.

You need to create a three-column layout that has fixed left and right columns. The fixed columns must each remain 50 pixels wide when the form is resized. The middle column must fill the remainder of the form width when the form is resized. You add the three columns in the designer.

Which code segment should you use to format the columns at run time?

A. `pnlLayout->ColumnStyles->Clear();`

`pnlLayout->ColumnStyles->Add(gcnew ColumnStyle(SizeType::Absolute, 50));`

`pnlLayout->ColumnStyles->Add(gcnew ColumnStyle(SizeType::AutoSize, 100));`

`pnlLayout->ColumnStyles->Add(gcnew ColumnStyle(SizeType::Absolute, 50));`

B. `pnlLayout->ColumnStyles[0]->Width = 50;`

`pnlLayout->ColumnStyles[0]->SizeType = SizeType::Absolute;`

`pnlLayout->ColumnStyles[2]->Width = 50;`

`pnlLayout->ColumnStyles[2]->SizeType = SizeType::Absolute;`

C. `pnlLayout->ColumnStyles[0]->Width = 50;`

`pnlLayout->ColumnStyles[0]->SizeType = SizeType::Absolute;`

```
pnlLayout->ColumnStyles[1]->Width = 100;  
pnlLayout->ColumnStyles[1]->SizeType = SizeType::AutoSize;  
pnlLayout->ColumnStyles[2]->Width = 50;  
pnlLayout->ColumnStyles[2]->SizeType = SizeType::Absolute;
```

```
D. pnlLayout->ColumnStyles->Clear();  
pnlLayout->ColumnStyles->Add(gcnew ColumnStyle(SizeType::Absolute, 50));  
pnlLayout->ColumnStyles->Add(gcnew ColumnStyle(SizeType::Percent,100));  
pnlLayout->ColumnStyles->Add(gcnew ColumnStyle(SizeType::Absolute, 50));
```

**Answer:** D

3.You are creating a Windows Forms application. You add an ErrorProvider component named erpErrors and a DateTimePicker control named dtpStartDate to the application. The application also contains other controls.

You need to configure the application to display an error notification icon next to dtpStartDate when the user enters a date that is greater than today's date.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. For the Validating event of dtpStartDate, create an event handler named VerifyStartDate.
- B. For the Validated event of dtpStartDate, create an event handler named VerifyStartDate.
- D. In the Properties Window for dtpStartDate, set the value of Error on erpErrors to Date out of range.
- E. In VerifyStartDate, call erpErrors->SetError(dtpStartDate, "Date out of range") if the value of dtpStartDate->Value is greater than today's date.
- F. In VerifyStartDate, call erpErrors->SetError(dtpStartDate, "") if the value of dtpStartDate->Value is greater than today's date.

**Answer:** (E AND A)

4.You are customizing a Windows Form.

You need to add an input control that provides AutoComplete suggestions to the user as the user types.

Which two controls can you use to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

- A. TextBox control set to SingleLine mode
- B. TextBox control set to MultiLine mode
- C. ComboBox control
- D. RichTextBox control
- E. MaskedTextBox control

**Answer:** C AND A

5.You are creating a Windows Form that includes a TextBox control named txtDate.

When a user right-clicks within the text box, you want the application to display a MonthCalendar control.

You need to implement a context menu that provides this functionality.

What should you do?

A. Add the following code to the form initialization.

```
MonthCalendar ^cal = gnew MonthCalendar();
ContextMenuStrip ^mnuContext = gnew ContextMenuStrip();
ToolStripControlHost ^host = gnew
    ToolStripControlHost(mnuContext);
txtDate->ContextMenuStrip = mnuContext;
```

B. Add the following code to the form initialization.

```
ContextMenuStrip ^mnuContext = gnew ContextMenuStrip();
MonthCalendar ^cal = gnew MonthCalendar();
ToolStripControlHost ^host = gnew
    ToolStripControlHost(cal);
mnuContext->Items->Add(host);
txtDate->ContextMenuStrip = mnuContext;
```

C. Add the following code to the form initialization.

```
ToolStripContainer ^ctr = gnew ToolStripContainer();
MonthCalendar ^cal = gnew MonthCalendar();
ctr->ContentPanel->Controls->Add(cal);
txtDate->Controls->Add(ctr);
```

Add a MouseClick event handler for the TextBox control that contains the following code.

```
if (e->Button == MouseButton::Right) {
    txtDate->Controls[0]->Show();}
```

D. Add a MouseClick event handler for the TextBox control that contains the following code.

```
if (e->Button == MouseButton::Right) {
    ContextMenuStrip ^mnuContext = gnew ContextMenuStrip();
    MonthCalendar ^cal = gnew MonthCalendar();
    ToolStripControlHost ^host = gnew
        ToolStripControlHost(cal);
    mnuContext->Items->Add(host);
    txtDate->ContextMenuStrip = mnuContext;
}
```

**Answer: B**

6. You are creating a Windows Form that contains several ToolStrip controls.

You need to add functionality that allows a user to drag any ToolStrip control from one edge of the form to

another.

What should you do?

A. Configure a ToolStripContainer control to fill the form.

Add the ToolStrip controls to the ToolStripContainer control.

B. Configure a Panel control to fill the form.

Set the Anchor properties of the ToolStrip controls to Top, Bottom, Left, Right.

C. Add the ToolStrip controls to another ToolStrip control that is hosted by a ToolStripControlHost control.

D. Add the ToolStrip controls to the form.

Set the Anchor properties of the ToolStrip controls to Top, Bottom, Left, Right.

Set the FormBorderStyle property of the form to SizableToolWindow.

**Answer: A**

Question

7. You are customizing a Windows Form. When the user clicks any button, you want the application to log information about the user's actions by calling a method with the following signature.

public:

```
System::Void ctl_Click(Object ^sender, EventArgs ^e)
```

You want the form to invoke this method when any Button control is clicked and only when a Button control is clicked.

You need to modify the form to invoke this method without interfering with the existing operations of the application.

What should you do?

A. Add the following code to the form initialization.

```
for each (Control ^ctl in this->Controls) {  
    if (dynamic_cast< Button ^>(ctl) != nullptr){  
        ctl->Click += gnew EventHandler(this, &Form1::ctl_Click);  
    }  
}
```

B. Add the following code to the form initialization.

```
this->Click += gnew EventHandler(this, &Form1::ctl_Click);
```

C. Use the Properties dialog box to set the Click event for each Button control on the form to the ctl\_Click method.

D. Use the Properties dialog box to set the Click event of the form to the ctl\_Click method.

**Answer: A**

8. You are customizing a Windows Form. The form includes a menu that has several ToolStripMenuItem controls. An event handler is configured to handle the Click event for all ToolStripMenuItem controls. The

event handler has the following signature.

```
private: void mnu_Click(Object ^sender, EventArgs ^e)
```

The form class includes a method that has the following signature.

```
private: void LogClick(String ^ctlName)
```

You need to add code so that when a user clicks a ToolStripMenuItem control, the mnu\_Click method calls the LogClick method. The LogClick method must be called with the ctlName parameter set to the menu text in the ToolStripMenuItem control.

Which code segment should you use?

- A. ToolStripMenuItem ^menuItem = (ToolStripMenuItem^)sender;  
    LogClick(menuItem->Text);
- B. LogClick(e->ToString());
- C. LogClick(this->Text);
- D. ToolStripMenuItem ^menuItem = (ToolStripMenuItem^)  
    ?this->GetContainerControl();  
    LogClick(menuItem->Text);

**Answer: A**

Question

9. You are creating a Windows Forms application. Initialization code loads a DataSet object named ds that includes a table named Users. The Users table includes a column named IsManager.

You need to bind the IsManager column to the Checked property of a check box named chkIsManager.

Which code segment should you use?

- A. chkIsManager->DataBindings->Add("Checked", ds, "Users.IsManager");
- B. chkIsManager->DataBindings->Add("Checked", ds, "IsManager");
- C. chkIsManager->Text = "{Users.IsManager}";  
    chkIsManager->AutoCheck = true;
- D. this->DataBindings->Add("chkIsManager.Checked", ds, "Users.IsManager");

**Answer: A**

10. You are creating a Windows Forms application that implements a master/detail form by using two DataGridView controls. You populate a dataset with a master table and a details table. You set the DataSource property of the master DataGridView control to the dataset. You set the DataMember property to the name of the master table. You also set the DataSource property of the details DataGridView control to the dataset.

You need to ensure that the details DataGridView control displays only the child rows of the selected master row.

What should you do?

A. Add a foreign key constraint to the dataset.

Set the DataMember property of the child DataGridView control to the name of the foreign key constraint.

B. Define a data relation between the master table and details table in the dataset.

Set the DataMember property of the child DataGridView to the name of the data relation.

C. Add a foreign key constraint to the dataset.

Set the DataMember property of the child DataGridView control to the name of the details table.

D. Define a data relation between the master table and details table in the dataset.

Bind the details DataGridView control to the dataset.

Set the DataMember property of the child DataGridView control to the name of the details table.

**Answer: B**

11. A method in your Windows Forms application executes a stored procedure in a Microsoft SQL Server 2005 database, and then executes a second stored procedure in a second SQL Server 2005 database.

You need to ensure that the call to the first stored procedure writes changes only if the call to the second stored procedure succeeds. Installation requirements prohibit you from introducing new components that use the COM+ hosting model.

What should you do?

A. Implement a transactional serviced component.

Add methods to this component to encapsulate the connect operation and execution of each stored procedure.

Register and use this serviced component.

B. Add a TransactionScope block.

Connect to each database and execute each stored procedure within the TransactionScope block.

Call the TransactionScope::Complete method if the call to both stored procedure succeeds.

C. Connect to both databases.

Call the SqlConnection::BeginTransaction method for each connection.

Call the SqlTransaction::Commit method on both returned transactions only if both stored procedures succeed.

D. Add a try-catch-finally block.

Connect to each database and execute each stored procedure in the try block.

**Answer: B**

12. You are creating a Windows Forms application to retrieve and modify data. Depending on the installation, the data source can be a Microsoft Access database or a Microsoft SQL Server 2000 or later database.

You need to ensure that your application accesses data by automatically using the data provider that is optimized for the data source.

What should you do?

- A. Use the ODBC data provider classes.
- B. Use the OLE DB data provider classes.
- C. Use the SQL Server data provider classes.
- D. Use the DbProviderFactory class and related classes.

**Answer: D**

13. You are creating a Windows Forms application that includes the database helper methods UpdateOrder and UpdateAccount. Each method wraps code that connects to a Microsoft SQL Server 2005 database, executes a Transact-SQL statement, and then disconnects from the database.

You must ensure that changes to the database that result from the UpdateAccount method are committed only if the UpdateOrder method succeeds.

You need to execute the UpdateAccount method and the UpdateOrder method.

Which code segment should you use?

A. `TransactionScope ^ts = gnew TransactionScope();`

```
try {  
    UpdateOrder();  
    UpdateAccount();  
    ts->Complete();  
} finally {  
    delete ts;  
}
```

B. `TransactionScope ^ts1 = gnew TransactionScope();`

```
try {  
    UpdateOrder();  
    TransactionScope ^ts2 = gnew  
        TransactionScope(TransactionScopeOption::RequiresNew);  
    try {  
        UpdateAccount();  
        ts2->Complete();  
    } finally {  
        delete ts2;  
    }  
    ts1->Complete();  
} finally {  
    delete ts1;  
}
```

C.TransactionScope ^ts = gcnew

```
?TransactionScope(TransactionScopeOption::RequiresNew);
try {
    UpdateOrder();
    ts->Complete();
} finally {
    delete ts;
}
ts = gcnew
?TransactionScope(TransactionScopeOption::Required);
try {
    UpdateAccount();
    ts->Complete();
} finally {
    delete ts;
}
```

D.TransactionScope ^ts = gcnew

```
?TransactionScope(TransactionScopeOption::RequiresNew);
try {
    UpdateOrder();
} finally {
    delete ts;
}
TransactionScope ^ts = gcnew
?TransactionScope(TransactionScopeOption::Required);
try {
    UpdateAccount();
    ts->Complete();
} finally {
    delete ts;
}
```

**Answer: A**

14.You are creating a Windows Forms application. The application executes a stored procedure that takes several seconds to complete. The stored procedure is invoked to populate a SqlDataReader object.

You need to ensure that the application remains responsive to the user while the stored procedure is

executing.

What should you do?

A. Use the SqlCommand.BeginExecuteReader method to call the stored procedure.

Retrieve results by using the EndExecuteReader method.

B. Use the SqlCommand.ExecuteReader method.

Set the behavior parameter of this method to CommandBehavior.SequentialAccess.

C. Create and bind a SqlDependency object to a SqlCommand object.

Call the SqlCommand.ExecuteReader method.

Associate an OnChanged event handler with the SqlDependency object.

Gather results in the OnChanged event handler method.

D. Set the Notification property of a SqlCommand object to a SqlNotificationRequest object.

Call the SqlCommand.ExecuteReader method.

Gather results on a background thread.

**Answer: A**

15. You are creating a Windows Forms application. The application displays data from a Microsoft SQL Server 2005 database in a DataGridView control. The DataGridView control is populated by a data table. The data table is filled by using a SqlDataAdapter object.

You need to display changes to the database as they happen without polling the database.

What should you do?

A. Create a SqlDependency object and bind it to a SqlCommand object that is used by the SqlDataAdapter object.

Reload the dataset in an event handler that is registered for the OnChanged event of the SqlDependency object.

B. Use a TransactionScope block when calling the Fill method of the SqlDataAdapter object.

C. Set the CommandTimeout property of the SqlCommand object that is used by the SqlDataAdapter object to -1.

D. Reload the data table in an event handler that is registered for the RowChanging event of the DataTable object.

**Answer: A**



## Contact Test4pass

We are proud of our high-quality customer service, which serves you around the clock 24/7.

**To get your problem resolved instantly, live support**

**Read Our Frequently Asked Questions (FAQs)**

We have gathered the most frequently asked questions for you. Please read our list of FAQs.

**Contact us by Live Messenger**

Sales: [Test4pass\(at\)hotmail.com](mailto:Test4pass(at)hotmail.com)

**You can reach us at any of the email addresses listed below**

Please allow up to 24 hours for us to respond

- MSN: Test4pass@hotmail.com