

**Exam : Microsoft 70-528VB**

**Title : MS.NET Framework  
2.0-Web-based Client  
Development**

**Version : Demo**



## Top 3 Customers in Test4pass - Best IT certifications Team



Abbigail, who is proficient in Microsoft technology. After read our Study guides of Microsoft , She think test4pass is the best for IT candidates.

is the best for IT candidates.



Ramsden, who was majored in Manager IT technologys. He has many years of education experience. With his help, many of his candidates have won the certificate. he said:

test4pass' materials are the real one!



The IT experts of American company are training with test4pass braindumps, the manager of the company said: that will help them a lot

by using test4pass.

### HOT Certifications On Test4pass

#### Cisco Certifications

[CCNA](#) [CCDA](#) [CCNP](#) [CCDP](#) [CCVP](#) [CCSP](#) [CCIP](#) [CCIE](#) [CCDE](#) [Data Center](#) [Sales Expert](#)

#### Microsoft Certifications

[MCP](#) [MCSE](#) [MCITP](#) [MCTS](#) [MCSE2003](#) [MCPD](#) [MCS.D.NET](#) [MCDST](#) [TS](#) [Exchange Server2007](#)  
[MCSE2003 Security](#) [MCSE2003 Messaging](#) [Microsoft Business Solutions](#)

#### IBM Certifications

[Certified Administrator](#) [Certified Systems Expert](#) [Solutions Expert](#) [System Administrator](#)  
[DB2](#) [Certified Advanced Technical Expert](#) [Certified Advanced System Administrator](#)  
[Lotus Certification](#) [WebSphere Cognos 8 BI](#) [Certified Associate Developer](#) [Tivoli Software](#)

#### CompTIA Certifications

[A+](#) [CDIA+](#) [CTT+](#) [e-Biz+](#) [CompTIA HTI+](#) [i-NET+](#) [Linux+](#) [Network+](#) [Project+](#) [RFID+](#) [Security+](#)  
[Server+](#) [PDI+](#) [Convergence+](#)

1. Your Web site uses custom Themes. Your Web site must support additional Themes based on the user's company name.

The company name is set when a user logs on to the Web site. The company's Theme name is stored in a variable named ThemeName.

You need to use this variable to dynamically set the Web site's Theme.

What should you do?

A. Add the following code segment to the markup source of each page on the Web site.

```
<%@ Page Theme="ThemeName" ... %>
```

B. Add the following code segment to the Load event of each page on the Web site.

```
Page.Theme = ThemeName
```

C. Add the following code segment to the PreInit event of each page on the Web site.

```
Page.Theme = ThemeName
```

D. Add the following code segment to the Web site's configuration file.

```
<pages theme="ThemeName" />
```

**Answer: C**

2. You write a Web application. This application must support multiple languages. You store the localized strings in the application as resources. You want these resources to be accessed according to a user's language preference. You create the following resource files in the App\_GlobalResources folder of your application.

myStrings.resx

myStrings.en-CA.resx

myString.en-US.resx

myStrings.fr-CA.resx

myStrings.es-MX.resx

Each resource file stores a localized version of the following strings: Name, E-mail, Address, and Phone.

You create a Web Form that contains one label for each of these strings.

You need to ensure that the correct localized version of each string is displayed in each label, according to

a user's language preference.

What should you do?

A. Add the following configuration section to the Web.config file.

```
<globalization culture="Auto" />
```

B. Set the directive for each page in your site as follows:

```
<%@ Page UICulture="Auto" %>
```

C. Add the following code segment to the page's load event.

```
lblName.Text = "{myStrings}Name"
```

```
lblAddress.Text = "{myStrings}Address"
```

```
lblEmail.Text = "{myStrings}Email"
```

```
lblPhone.Text = "{myStrings}Phone"
```

D. Add the following code segment to the page's load event.

```
lblName.Text = Resources.myStrings.Name
```

```
lblAddress.Text = Resources.myStrings.Address
```

```
lblEmail.Text = Resources.myStrings.Email
```

```
lblPhone.Text = Resources.myStrings.Phone
```

**Answer: D**

3. You create a Web Form. The Web Form displays sales information as a chart. The chart must be rendered to the user's browser as a .jpeg file. The chart is retrieved by using the following code segment.

```
Dim bmpChart As Bitmap = Chart.GetCurrentSales()
```

You need to display the chart to the user.

Which code segment should you use?

A. Response.ContentType = "text/jpeg"

```
bmpChart.Save(Request.InputStream, System.Drawing.Imaging.ImageFormat.Jpeg)
```

```
bmpChart.Dispose()
```

B. Response.ContentType = "image/bitmap"

```
bmpChart.Save(Response.OutputStream, System.Drawing.Imaging.ImageFormat.Bmp)
```

```
bmpChart.Dispose()
```

C. Response.ContentType = "text/html"

```
bmpChart.Save(Response.OutputStream, System.Drawing.Imaging.ImageFormat.MemoryBmp)
```

```
bmpChart.Dispose()
```

```
D. Response.ContentType = "image/jpeg"
```

```
bmpChart.Save(Response.OutputStream, System.Drawing.Imaging.ImageFormat.Jpeg)
```

```
bmpChart.Dispose()
```

**Answer:** D

4. You create a Web Form. The Web Form allows users to calculate values and display the results in a label named lblResults.

You need to capture all unhandled exceptions on the Web Form through the Error event. The Error event must capture each unhandled exception and display it on the Web Form.

Which code segment should you use?

```
A. Protected Sub Page_Error(ByVal sender As Object, _
```

```
?ByVal e As System.EventArgs) Handles Me.Error?
```

```
    lblResults.Text = e.ToString()
```

```
    e = Nothing
```

```
End Sub
```

```
B. Protected Sub Page_Error(ByVal sender As Object, _
```

```
?ByVal e As System.EventArgs) Handles Me.Error?
```

```
    lblResults.Text = Server.GetLastError().ToString()
```

```
    Server.ClearError()
```

```
End Sub
```

```
C. Protected Sub Page_Error(ByVal sender As Object, _
```

```
?ByVal e As System.EventArgs) Handles Me.Error?
```

```
    Response.Write(e.ToString())
```

```
    e = Nothing
```

```
End Sub
```

```
D. Protected Sub Page_Error(ByVal sender As Object, _
```

```
?ByVal e As System.EventArgs) Handles Me.Error
```

```
    Response.Write(Server.GetLastError().ToString())
```

```
Server.ClearError()
```

```
End Sub
```

**Answer: D**

5. You create a Web Form. The Web Form uses the FormView control to enable a user to edit a record in the database.

When the user clicks the Update button on the FormView control, the application must validate that the user has entered data in all of the fields.

You need to ensure that the Web Form does not update if the user has not entered data in all of the fields.

Which code segment should you use?

A. Protected Sub FormView1\_ItemUpdating(ByVal sender As Object, \_  
?ByVal e As System.Web.UI.WebControls.FormViewUpdateEventArgs) \_  
?Handles FormView1.ItemUpdating

```
Dim entry As DictionaryEntry  
For Each entry In e.Keys  
    If entry.Value.ToString() = System.String.Empty Then  
        e.Cancel = True  
        Return  
    End If  
Next entry
```

```
End Sub
```

B. Protected Sub FormView1\_ItemUpdated(ByVal sender As Object, \_  
?ByVal e As System.Web.UI.WebControls.FormViewUpdatedEventArgs) \_  
?Handles FormView1.ItemUpdated

```
Dim entry As DictionaryEntry  
For Each entry In e.NewValues  
    If entry.Value.Equals("") Then  
        e.KeepInEditMode = True  
        Return  
    End If
```

Next entry

End Sub

```
C. Protected Sub FormView1_ItemUpdating(ByVal sender As Object, _  
?ByVal e As System.Web.UI.WebControls.FormViewUpdateEventArgs) _  
?Handles FormView1.ItemUpdating
```

```
Dim entry As DictionaryEntry
```

```
For Each entry In e.NewValues
```

```
    If entry.Value.Equals("") Then
```

```
        e.Cancel = True
```

```
        Return
```

```
    End If
```

```
Next entry
```

End Sub

```
D. Protected Sub FormView1_ItemUpdated(ByVal sender As Object, _  
?ByVal e As System.Web.UI.WebControls.FormViewUpdatedEventArgs) _  
?Handles FormView1.ItemUpdated
```

```
Dim entry As DictionaryEntry
```

```
For Each entry In e.Keys
```

```
    If entry.Value.ToString() = System.String.Empty Then
```

```
        e.KeepInEditMode = True
```

```
        Return
```

```
    End If
```

```
Next entry
```

End Sub

**Answer: C**

6. You are creating a Web Form. You write the following code segment to create a SqlCommand object.

```
Dim conn As SqlConnection = New SqlConnection(connString)
```

```
conn.Open()
```

```
Dim cmd As SqlCommand = conn.CreateCommand()
```

```
cmd.CommandText = "select count(*) from Customers"
```

You need to display the number of customers in the Customers table.

Which two code segments can you use to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

A. Dim customerCount As Object = cmd.ExecuteScalar()

```
lblCompanyName.Text = customerCount.ToString()
```

B. Dim customerCount As Integer = cmd.ExecuteNonQuery()

```
lblCompanyName.Text = customerCount.ToString()
```

C. Dim dr As SqlDataReader = cmd.ExecuteReader()

```
dr.Read()
```

```
lblCompanyName.Text = dr(0).ToString()
```

D. Dim dr As SqlDataReader = cmd.ExecuteReader()

```
dr.Read()
```

```
lblCompanyName.Text = dr.ToString()
```

**Answer: AC**

7. You are creating a Web Form that displays product data. You create a DataView named dvOrders and bind it to a GridView.

You need to display the rows from dvOrders where the CategoryID is 2, in descending order of unit price.

Which code segment should you use?

A. dvOrders.Find("CategoryID = 2, UnitPrice desc")

```
dvOrders.Table.AcceptChanges()
```

B. dvOrders.RowFilter = "CategoryID = 2"

```
dvOrders.Sort = "UnitPrice desc"
```

C. dvOrders.Table.Select("UnitPrice desc", "Category = 2")

D. dvOrders.Table.Select("CategoryID = 2", "UnitPrice desc")

**Answer: B**

8. You are creating a Web Form to report on orders in a database. You create a DataSet that contains Order and OrderDetails tables. You add a relationship between the tables by using the following code segment.

```
Dim dtOrders As DataTable = dsOrders.Tables("Orders")  
Dim dtOrderDetails As DataTable = _  
    dsOrders.Tables("OrderDetails")  
Dim colParent As DataColumn = dtOrders.Columns("OrderID")  
Dim colChild As DataColumn = _  
    dtOrderDetails.Columns("OrderID")  
dsOrders.Relations.Add("Rel1", colParent, colChild, False)
```

You need to calculate the total quantity of items for each order by adding the values in the Quantity column in the OrderDetails rows for each order.

Which code segment should you use?

A. Dim parentRow As DataRow

For Each parentRow In dtOrders.Rows

currQty = 0

Dim childRow As DataRow

For Each childRow In dtOrderDetails.Rows

currQty += Convert.ToInt32(childRow("Quantity"))

Next childRow

ShowQty(currQty)

Next parentRow

B. Dim parentRow As DataRow

For Each parentRow In dtOrders.Rows

currQty = 0

Dim childRow As DataRow

For Each childRow In parentRow.GetChildRows("Rel1")

currQty += Convert.ToInt32(childRow("Quantity"))

Next childRow

ShowQty(currQty)

Next parentRow

C. Dim childRow As DataRow

For Each childRow In dtOrders.Rows

```
currQty = 0
Dim parentRow As DataRow
For Each parentRow In childRow.GetParentRows("Rel1")
    currQty += Convert.ToInt32(childRow("Quantity"))
Next parentRow
ShowQty(currQty)
```

Next childRow

D. Dim parentRow As DataRow

For Each parentRow In dtOrders.Rows

```
currQty = 0
Dim childRows As DataRow() = _
parentRow.GetChildRows("Rel1")
currQty += childRows.Length
ShowQty(currQty)
```

Next parentRow

**Answer: B**

9. You are creating a DataTable. You use the following code segment to create the DataTable. (Line numbers are included for reference only.)

```
01 Dim dt As New DataTable("Products")
02 dt.Columns.Add(New DataColumn("Price", _
    GetType(Decimal)))
03 dt.Columns.Add(New DataColumn("Quantity", _
    GetType(Int32)))
04 Dim dc As DataColumn = New DataColumn("Total", _
    GetType(Decimal))
05 dt.Columns.Add(dc)
```

You need to ensure that the Total column is set to the value of the Price column multiplied by the Quantity column when new rows are added or changed.

What should you do?

A. Add the following code segment after line 05.

```
dc.ExtendedProperties("Total") = "Price * Quantity"
```

B. Add the following code segment after line 05.

```
dc.Expression = "Price * Quantity"
```

C. Write an event handler for the DataTable's TableNewRow event that updates the row's Total.

D. Write an event handler for the DataTable's ColumnChanged event that updates the row's Total.

**Answer: B**

10. You are creating a Web Form. The Web Form allows users to rename or delete products in a list. You create a DataTable named dtProducts that is bound to a GridView. DataTable has the following four rows.

```
dtProducts.Rows(0)("ProductName") = "Soap"
```

```
dtProducts.Rows(1)("ProductName") = "Book"
```

```
dtProducts.Rows(2)("ProductName") = "Computer"
```

```
dtProducts.Rows(3)("ProductName") = "Spoon"
```

```
dtProducts.AcceptChanges()
```

The user utilizes a Web Form to delete the first product.

You need to set the RowStateFilter property of the DataTable's DefaultView so that only products that have not been deleted are shown.

To which value should you set the DataTables's DefaultView.RowStateFilter?

A. DataViewRowState.ModifiedOriginal

B. DataViewRowState.ModifiedCurrent

C. DataViewRowState.CurrentRows

D. DataViewRowState.Added

**Answer: C**



## Contact Test4pass

We are proud of our high-quality customer service, which serves you around the clock 24/7.

**To get your problem resolved instantly, live support**

**Read Our Frequently Asked Questions (FAQs)**

We have gathered the most frequently asked questions for you. Please read our list of FAQs.

**Contact us by Live Messenger**

Sales: [Test4pass\(at\)hotmail.com](mailto:Test4pass(at)hotmail.com)

**You can reach us at any of the email addresses listed below**

Please allow up to 24 hours for us to respond

- MSN: Test4pass@hotmail.com