

Exam : Microsoft 70-553

**Title : UPGRADE:MCSD MS.NET
Skills to MCPD Entpse App
Dvlpr Pt1**

Version : Demo



Top 3 Customers in Test4pass - Best IT certifications Team



Abbigail, who is proficient in Microsoft technology. After read our Study guides of Microsoft , She think test4pass

is the best for IT candidates.



Ramsden, who was majored in Manager IT technologys. He has many years of education experience. With his help, many of his candidates have won the certificate. he said:

test4pass' materials are the real one!



The IT experts of American company are training with test4pass braindumps, the manager of the company said: that will help them a lot

by using test4pass.

HOT Certifications On Test4pass

Cisco Certifications

[CCNA](#) [CCDA](#) [CCNP](#) [CCDP](#) [CCVP](#) [CCSP](#) [CCIP](#) [CCIE](#) [CCDE](#) [Data Center](#) [Sales Expert](#)

Microsoft Certifications

[MCP](#) [MCSE](#) [MCITP](#) [MCTS](#) [MCSE2003](#) [MCPD](#) [MCSA.NET](#) [MCDST](#) [TS](#) [Exchange Server2007](#)
[MCSE2003 Security](#) [MCSE2003 Messaging](#) [Microsoft Business Solutions](#)

IBM Certifications

[Certified Administrator](#) [Certified Systems Expert](#) [Solutions Expert](#) [System Administrator](#)
[DB2](#) [Certified Advanced Technical Expert](#) [Certified Advanced System Administrator](#)
[Lotus Certification](#) [WebSphere](#) [Cognos 8 BI](#) [Certified Associate Developer](#) [Tivoli Software](#)

CompTIA Certifications

[A+](#) [CDIA+](#) [CTT+](#) [e-Biz+](#) [CompTIA HTI+](#) [i-NET+](#) [Linux+](#) [Network+](#) [Project+](#) [RFID+](#) [Security+](#)
[Server+](#) [PDI+](#) [Convergence+](#)

1. You are developing an application that stores data about your company's sales and technical support teams.

You need to ensure that the name and contact information for each person is available as a single collection when a user queries details about a specific team. You also need to ensure that the data collection guarantees type safety.

Which code segment should you use?

A. Hashtable team = new Hashtable();

```
team.Add(1, "Hance");
team.Add(2, "Jim");
team.Add(3, "Hanif");
team.Add(4, "Kerim");
team.Add(5, "Alex");
team.Add(6, "Mark");
team.Add(7, "Roger");
team.Add(8, "Tommy");
```

B. ArrayList team = new ArrayList();

```
team.Add("1, Hance");
team.Add("2, Jim");
team.Add("3, Hanif");
team.Add("4, Kerim");
team.Add("5, Alex");
team.Add("6, Mark");
team.Add("7, Roger");
team.Add("8, Tommy");
```

C. Dictionary<int, string> team = new Dictionary<int, string>();

```
team.Add(1, "Hance");
team.Add(2, "Jim");
team.Add(3, "Hanif");
team.Add(4, "Kerim");
team.Add(5, "Alex");
team.Add(6, "Mark");
team.Add(7, "Roger");
team.Add(8, "Tommy");
```

D. string[] team =

```
new string[] { "1, Hance", "2, Jim", "3, Hanif", "4, Kerim", "5, Alex",
```

"6, Mark", "7, Roger", "8, Tommy");

Answer: C

2. You are developing an application that stores data about your company's sales and technical support teams.

You need to ensure that the name and contact information for each person is available as a single collection when a user queries details about a specific team. You also need to ensure that the data collection guarantees type safety.

Which code segment should you use?

A. Dim team As Hashtable = New Hashtable()

team.Add(1, "Hance")

team.Add(2, "Jim")

team.Add(3, "Hanif")

team.Add(4, "Kerim")

team.Add(5, "Alex")

team.Add(6, "Mark")

team.Add(7, "Roger")

team.Add(8, "Tommy")

B. Dim team As ArrayList = New ArrayList()

team.Add("1, Hance")

team.Add("2, Jim")

team.Add("3, Hanif")

team.Add("4, Kerim")

team.Add("5, Alex")

team.Add("6, Mark")

team.Add("7, Roger")

team.Add("8, Tommy")

C. Dim team As New Dictionary(Of Integer, String)

team.Add(1, "Hance")

team.Add(2, "Jim")

team.Add(3, "Hanif")

team.Add(4, "Kerim")

team.Add(5, "Alex")

team.Add(6, "Mark")

team.Add(7, "Roger")

team.Add(8, "Tommy")

D. Dim team As String() = New String() { _

"1, Hance", _

"2, Jim", _

"3, Hanif", _

"4, Kerim", _

"5, Alex", _

"6, Mark", _

"7, Roger", _

"8, Tommy"} }

Answer: C

3. You are creating a Windows Form. You add a TableLayoutPanel control named pnlLayout to the form. You set the properties of pnlLayout so that it will resize with the form.

You need to create a three-column layout that has fixed left and right columns. The fixed columns must each remain 50 pixels wide when the form is resized. The middle column must fill the remainder of the form width when the form is resized. You add the three columns in the designer.

Which code segment should you use to format the columns at run time?

A. pnlLayout.ColumnStyles.Clear();

pnlLayout.ColumnStyles.Add(new ColumnStyle(SizeType.Absolute, 50F));

pnlLayout.ColumnStyles.Add(new ColumnStyle(SizeType.AutoSize, 100F));

pnlLayout.ColumnStyles.Add(new ColumnStyle(SizeType.Absolute, 50F));

B. pnlLayout.ColumnStyles[0].Width = 50F;

pnlLayout.ColumnStyles[0].SizeType = SizeType.Absolute;

pnlLayout.ColumnStyles[2].Width = 50F;

pnlLayout.ColumnStyles[2].SizeType = SizeType.Absolute;

C. pnlLayout.ColumnStyles[0].Width = 50F;

pnlLayout.ColumnStyles[0].SizeType = SizeType.Absolute;

pnlLayout.ColumnStyles[1].Width = 100F;

pnlLayout.ColumnStyles[1].SizeType = SizeType.AutoSize;

pnlLayout.ColumnStyles[2].Width = 50F;

pnlLayout.ColumnStyles[2].SizeType = SizeType.Absolute;

D. pnlLayout.ColumnStyles.Clear();

pnlLayout.ColumnStyles.Add(new ColumnStyle(SizeType.Absolute, 50F));

pnlLayout.ColumnStyles.Add(new ColumnStyle(SizeType.Percent, 100F));

pnlLayout.ColumnStyles.Add(new ColumnStyle(SizeType.Absolute, 50F));

Answer: D

4. Your Web site uses custom Themes. Your Web site must support additional Themes based on the user's company name.

The company name is set when a user logs on to the Web site. The company's Theme name is stored in a variable named ThemeName.

You need to use this variable to dynamically set the Web site's Theme.

What should you do?

A. Add the following code segment to the markup source of each page on the Web site.

```
<%@ Page Theme="ThemeName" ... %>
```

B. Add the following code segment to the Load event of each page on the Web site.

```
Page.Theme = ThemeName;
```

C. Add the following code segment to the PreInit event of each page on the Web site.

```
Page.Theme = ThemeName;
```

D. Add the following code segment to the Web site's configuration file.

```
<pages theme="ThemeName" />
```

Answer: C

5. You are creating a Windows Form. You add a TableLayoutPanel control named pnlLayout to the form. You set the properties of pnlLayout so that it will resize with the form.

You need to create a three-column layout that has fixed left and right columns. The fixed columns must each remain 50 pixels wide when the form is resized. The middle column must fill the remainder of the form width when the form is resized. You add the three columns in the designer.

Which code segment should you use to format the columns at run time?

A. pnlLayout.ColumnStyles.Clear()

```
pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))
```

```
pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.AutoSize, 100.0F))
```

```
pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))
```

B. pnlLayout.ColumnStyles(0).Width = 50.0F

```
pnlLayout.ColumnStyles(0).SizeType = SizeType.Absolute
```

```
pnlLayout.ColumnStyles(2).Width = 50.0F
```

```
pnlLayout.ColumnStyles(2).SizeType = SizeType.Absolute
```

C. pnlLayout.ColumnStyles(0).Width = 50.0F

```
pnlLayout.ColumnStyles(0).SizeType = SizeType.Absolute
```

```
pnlLayout.ColumnStyles(1).Width = 100.0F
```

```
pnlLayout.ColumnStyles(1).SizeType = SizeType.AutoSize
```

```
pnlLayout.ColumnStyles(2).Width = 50.0F
```

```
pnlLayout.ColumnStyles(2).SizeType = SizeType.Absolute
```

D. pnlLayout.ColumnStyles.Clear()

pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))

pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Percent, 100.0F))

pnlLayout.ColumnStyles.Add(New ColumnStyle(SizeType.Absolute, 50.0F))

Answer: D

6. Your Web site uses custom Themes. Your Web site must support additional Themes based on the user's company name.

The company name is set when a user logs on to the Web site. The company's Theme name is stored in a variable named ThemeName.

You need to use this variable to dynamically set the Web site's Theme.

What should you do?

A. Add the following code segment to the markup source of each page on the Web site.

```
<%@ Page Theme="ThemeName" ... %>
```

B. Add the following code segment to the Load event of each page on the Web site.

```
Page.Theme = ThemeName
```

C. Add the following code segment to the PreInit event of each page on the Web site.

```
Page.Theme = ThemeName
```

D. Add the following code segment to the Web site's configuration file.

```
<pages theme="ThemeName" />
```

Answer: C

7. You are creating a Windows Forms application. You add an ErrorProvider component named erpErrors and a DateTimePicker control named dtpStartDate to the application. The application also contains other controls.

You need to configure the application to display an error notification icon next to dtpStartDate when the user enters a date that is greater than today's date.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

A. For the Validating event of dtpStartDate, create an event handler named VerifyStartDate.

B. For the Validated event of dtpStartDate, create an event handler named VerifyStartDate.

C. In the Properties Window for dtpStartDate, set the value of Error on erpErrors to Date out of range.

D. In VerifyStartDate, call erpErrors.SetError(dtpStartDate, "Date out of range")

if the value of dtpStartDate.Value is greater than today's date.

E. In VerifyStartDate, call erpErrors.SetError(dtpStartDate, null) if the dtpStartDate.Value is greater than today's date.

Answer: D AND A

8. You need to create a method to clear a Queue named q.

Which code segment should you use?

A. foreach (object e in q) {
 q.Dequeue();
}

B. foreach (object e in q) {
 Enqueue(null);
}

C. q.Clear();

D. q.Dequeue();

Answer: C

9. You are creating a Windows Forms application. You add an ErrorProvider component named `erpErrors` and a DateTimePicker control named `ntpStartDate` to the application. The application also contains other controls.

You need to configure the application to display an error notification icon next to `ntpStartDate` when the user enters a date that is greater than today's date.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

A. For the Validating event of `ntpStartDate`, create an event handler named `VerifyStartDate`.

B. For the Validated event of `ntpStartDate`, create an event handler named `VerifyStartDate`.

C. In the Properties Window for `ntpStartDate`, set the value of Error on `erpErrors` to Date out of range.

D. In `VerifyStartDate`, call `erpErrors.SetError(ntpStartDate, "Date out of range")` if the value of `ntpStartDate.Value` is greater than today's date.

E. In `VerifyStartDate`, call `erpErrors.SetError(ntpStartDate, null)` if the `ntpStartDate.Value` is greater than today's date.

Answer: D AND A

10. You need to create a method to clear a Queue named `q`.

Which code segment should you use?

A. Dim e As Object
 For Each e In q
 q.Dequeue()
 Next

B. Dim e As Object
 For Each e In q
 q.Enqueue(Nothing)
 Next

C. q.Clear()

D. q.Dequeue()

Answer: C

11. You are creating a Windows Form that includes a TextBox control named txtDate.

When a user right-clicks within the text box, you want the application to display a MonthCalendar control.

You need to implement a context menu that provides this functionality.

What should you do?

A. Add the following code to the form initialization.

```
MonthCalendar cal = new MonthCalendar();
ContextMenuStrip mnuContext = new ContextMenuStrip();
ToolStripControlHost host = new ToolStripControlHost(mnuContext);
txtDate.ContextMenuStrip = mnuContext;
```

B. Add the following code to the form initialization.

```
ContextMenuStrip mnuContext = new ContextMenuStrip();
MonthCalendar cal = new MonthCalendar();
ToolStripControlHost host = new ToolStripControlHost(cal);
mnuContext.Items.Add(host);
txtDate.ContextMenuStrip = mnuContext;
```

C. Add the following code to the form initialization.

```
ToolStripContainer ctr = new ToolStripContainer();
MonthCalendar cal = new MonthCalendar();
ctr.ContentPanel.Controls.Add(cal);
txtDate.Controls.Add(ctr);
```

Add a MouseClick event handler for the TextBox control that contains the following code.

```
if (e.Button == MouseButton.Right) {
    txtDate.Controls[0].Show();
}
```

D. Add a MouseClick event handler for the TextBox control that contains the following code.

```
if (e.Button == MouseButton.Right) {
    ContextMenuStrip mnuContext = new ContextMenuStrip();
    MonthCalendar cal = new MonthCalendar();
    ToolStripControlHost host = new ToolStripControlHost(cal);
    mnuContext.Items.Add(host);
    txtDate.ContextMenuStrip = mnuContext;
}
```

Answer: B

12. You are creating a Windows Form that includes a TextBox control named txtDate.

When a user right-clicks within the text box, you want the application to display a MonthCalendar control.

You need to implement a context menu that provides this functionality.

What should you do?

A. Add the following code to the form initialization.

```
Dim cal As New MonthCalendar()  
Dim mnuContext As New ContextMenuStrip()  
Dim host As New ToolStripControlHost(mnuContext)  
txtDate.ContextMenuStrip = mnuContext
```

B. Add the following code to the form initialization.

```
Dim mnuContext As New ContextMenuStrip()  
Dim cal As New MonthCalendar()  
Dim host As New ToolStripControlHost(cal)  
mnuContext.Items.Add(host)  
txtDate.ContextMenuStrip = mnuContext
```

C. Add the following code to the form initialization.

```
Dim ctr As New ToolStripContainer()  
Dim cal As New MonthCalendar()  
ctr.ContentPanel.Controls.Add(cal)  
txtDate.Controls.Add(ctr)
```

Add a MouseClick event handler for the TextBox control that contains the following code.

```
If e.Button = MouseButton.Right Then
```

```
    txtDate.Controls(0).Show()  
End If
```

D. Add a MouseClick event handler for the TextBox control that contains the following code.

```
If e.Button = MouseButton.Right Then
```

```
    Dim mnuContext As New ContextMenuStrip()  
    Dim cal As New MonthCalendar()  
    Dim host As New ToolStripControlHost(cal)  
    mnuContext.Items.Add(host)  
    txtDate.ContextMenuStrip = mnuContext
```

```
End If
```

Answer: B

13. You are writing a custom dictionary. The custom-dictionary class is named MyDictionary.

You need to ensure that the dictionary is type safe.

Which code segment should you use?

- A. class MyDictionary : Dictionary<string, string>
- B. class MyDictionary : Hashtable
- C. class MyDictionary : IDictionary
- D. class MyDictionary { ... }
Dictionary<string, string> t =
new Dictionary<string, string>();
MyDictionary dictionary = (MyDictionary)t;

Answer: A

14. You are writing a custom dictionary. The custom-dictionary class is named MyDictionary. You need to ensure that the dictionary is type safe.

Which code segment should you use?

- A. Class MyDictionary
Implements Dictionary(Of String, String)
- B. Class MyDictionary
Inherits Hashtable
- C. Class MyDictionary
Implements IDictionary
- D. Class MyDictionary
...
End Class
Dim t As New Dictionary(Of String, String)
Dim dict As MyDictionary = CType(t, MyDictionary)

Answer: A

15. You are creating an undo buffer that stores data modifications.

You need to ensure that the undo functionality undoes the most recent data modifications first. You also need to ensure that the undo buffer permits the storage of strings only.

Which code segment should you use?

- A. Stack<string> undoBuffer = new Stack<string>();
- B. Stack undoBuffer = new Stack();
- C. Queue<string> undoBuffer = new Queue<string>();
- D. Queue undoBuffer = new Queue();

Answer: A

16. You are creating an undo buffer that stores data modifications.

You need to ensure that the undo functionality undoes the most recent data modifications first. You also

need to ensure that the undo buffer permits the storage of strings only.

Which code segment should you use?

- A. Dim undoBuffer As New Stack(Of String)
- B. Dim undoBuffer As New Stack()
- C. Dim undoBuffer As New Queue(Of String)
- D. Dim undoBuffer As New Queue()

Answer: A

17. You are creating a Windows Forms application. Initialization code loads a DataSet object named ds that includes a table named Users. The Users table includes a column named IsManager.

You need to bind the IsManager column to the Checked property of a check box named chkIsManager.

Which code segment should you use?

- A. chkIsManager.DataBindings.Add("Checked", ds, "Users.IsManager");
- B. chkIsManager.DataBindings.Add("Checked", ds, "IsManager");
- C. chkIsManager.Text = "{Users.IsManager}";
chkIsManager.AutoCheck = true;
- D. this.DataBindings.Add("chkIsManager.Checked", ds, "Users.IsManager");

Answer: A

18. You are creating a Windows Forms application. Initialization code loads a DataSet object named ds that includes a table named Users. The Users table includes a column named IsManager.

You need to bind the IsManager column to the Checked property of a check box named chkIsManager.

Which code segment should you use?

- A. chkIsManager.DataBindings.Add("Checked", ds, "Users.IsManager")
- B. chkIsManager.DataBindings.Add("Checked", ds, "IsManager")
- C. chkIsManager.Text = "{Users.IsManager}"
chkIsManager.AutoCheck = True
- D. Me.DataBindings.Add("chkIsManager.Checked", ds, "Users.IsManager")

Answer: A

19. A method in your Windows Forms application executes a stored procedure in a Microsoft SQL Server 2005 database, and then executes a second stored procedure in a second SQL Server 2005 database.

You need to ensure that the call to the first stored procedure writes changes only if the call to the second stored procedure succeeds. Installation requirements prohibit you from introducing new components that use the COM+ hosting model.

What should you do?

- A. Implement a transactional serviced component.

Add methods to this component to encapsulate the connect operation and execution of each stored

procedure.

Register and use this serviced component.

B. Add a TransactionScope block.

Connect to each database and execute each stored procedure within the TransactionScope block.

Call the TransactionScope.Complete method if the call to both stored procedure succeeds.

C. Connect to both databases.

Call the SqlConnection.BeginTransaction method for each connection.

Call the SqlTransaction.Commit method on both returned transactions only if both stored procedures succeed.

D. Add a try-catch-finally block.

Connect to each database and execute each stored procedure in the try block.

Answer: B

20. A method in your Windows Forms application executes a stored procedure in a Microsoft SQL Server 2005 database, and then executes a second stored procedure in a second SQL Server 2005 database.

You need to ensure that the call to the first stored procedure writes changes only if the call to the second stored procedure succeeds. Installation requirements prohibit you from introducing new components that use the COM+ hosting model.

What should you do?

A. Implement a transactional serviced component.

Add methods to this component to encapsulate the connect operation and execution of each stored procedure.

Register and use this serviced component.

B. Add a TransactionScope block.

Connect to each database and execute each stored procedure within the TransactionScope block.

Call the TransactionScope.Complete method if the call to both stored procedure succeeds.

C. Connect to both databases.

Call the SqlConnection.BeginTransaction method for each connection.

Call the SqlTransaction.Commit method on both returned transactions only if both stored procedures succeed.

D. Add a Tryj-Catchj-Finally block.

Connect to each database and execute each stored procedure in the try block.

Answer: B



Contact Test4pass

We are proud of our high-quality customer service, which serves you around the clock 24/7.

To get your problem resolved instantly, live support

Read Our Frequently Asked Questions (FAQs)

We have gathered the most frequently asked questions for you. Please read our list of FAQs.

Contact us by Live Messenger

Sales: [Test4pass\(at\)hotmail.com](mailto:Test4pass(at)hotmail.com)

You can reach us at any of the email addresses listed below

Please allow up to 24 hours for us to respond

- MSN: Test4pass@hotmail.com