

Exam : Microsoft 70-554

**Title : UPGRADE:MCSD MS.NET
Skills to MCPD Entpse App
Dvlpr Pt2**

Version : Demo



Top 3 Customers in Test4pass - Best IT certifications Team



Abbigail, who is proficient in Microsoft technology. After read our Study guides of Microsoft , She think test4pass is the best for IT candidates.

is the best for IT candidates.



Ramsden, who was majored in Manager IT technologys. He has many years of education experience. With his help, many of his candidates have won the certificate. he said:

test4pass' materials are the real one!



The IT experts of American company are training with test4pass braindumps, the manager of the company said: that will help them a lot

by using test4pass.

HOT Certifications On Test4pass

Cisco Certifications

[CCNA](#) [CCDA](#) [CCNP](#) [CCDP](#) [CCVP](#) [CCSP](#) [CCIP](#) [CCIE](#) [CCDE](#) [Data Center](#) [Sales Expert](#)

Microsoft Certifications

[MCP](#) [MCSE](#) [MCITP](#) [MCTS](#) [MCSE2003](#) [MCPD](#) [MCSA.NET](#) [MCDST](#) [TS](#) [Exchange Server2007](#)
[MCSE2003 Security](#) [MCSE2003 Messaging](#) [Microsoft Business Solutions](#)

IBM Certifications

[Certified Administrator](#) [Certified Systems Expert](#) [Solutions Expert](#) [System Administrator](#)
[DB2](#) [Certified Advanced Technical Expert](#) [Certified Advanced System Administrator](#)
[Lotus Certification](#) [WebSphere Cognos 8 BI](#) [Certified Associate Developer](#) [Tivoli Software](#)

CompTIA Certifications

[A+](#) [CDIA+](#) [CTT+](#) [e-Biz+](#) [CompTIA HTI+](#) [i-NET+](#) [Linux+](#) [Network+](#) [Project+](#) [RFID+](#) [Security+](#)
[Server+](#) [PDI+](#) [Convergence+](#)

1. You are creating a Web service.

You need to add an operation that can be called without returning a message to the caller.

Which code should you use?

A. [WebMethod]

```
[SoapDocumentMethod(OneWay = true)]  
public bool ProcessName(string name) {  
    return false;  
}
```

B. [WebMethod]

```
[OneWay()]  
public void ProcessName(string name) {  
}
```

C. [WebMethod]

```
[SoapDocumentMethod(OneWay = true)]  
public void ProcessName(string name) {  
}
```

D. [WebMethod]

```
[SoapDocumentMethod(Action = "OneWay")]  
public void ProcessName(string name) {  
}
```

Answer: C

2. You are creating a Web service.

You need to add an operation that can be called without returning a message to the caller.

Which code should you use?

A. <WebMethod(> _

<SoapDocumentMethod(OneWay:=True)> _

Public Function ProcessName(ByVal Name As String) As Boolean

...

Return False

End Function

B. <WebMethod(> _

<OneWay(> _

Public Sub ProcessName()

...

End Sub

```
C. <WebMethod(> _  
<SoapDocumentMethod(OneWay:=True)> _  
Public Sub ProcessName()  
...  
End Sub  
D. <WebMethod(> _  
<SoapDocumentMethod(Action:="OneWay")> _  
Public Sub ProcessName()  
...  
End Sub
```

Answer: C

3. You are an enterprise application developer. You are creating a component that will be deployed as part of a class library. The component must meet the following specifications:

The interface of the component must be accessible to components outside the hosting assembly.

The interface of the component must be interoperable with components written in any other .NET Framework languages.

The implementation of the component cannot be expanded upon by a derived class.

You need to design the interface of the component.

Which three tasks should you perform? (Each correct answer presents part of the solution. Choose three.)

- A. Apply the CLSCompliant(true) attribute to the assembly and component definition.
- B. Apply the abstract keyword to the component definition.
- C. Apply the ComVisible(true) attribute to the assembly and component definition.
- D. Create a primary interop assembly for the assembly that hosts your component.
- E. Apply the sealed keyword to the component definition.

F. Apply the public keyword to the component definition.

Answer: A AND E AND F

4. You are an enterprise application developer. You are creating a component that will be deployed as part of a class library. The component must meet the following specifications:

The interface of the component must be accessible to components outside the hosting assembly.

The interface of the component must be interoperable with components written in any other .NET Framework languages.

The implementation of the component cannot be expanded upon by a derived class.

You need to design the interface of the component.

Which three tasks should you perform? (Each correct answer presents part of the solution. Choose three.)

- A. Apply the CLSCompliant(True) attribute to the assembly and component definition.
- B. Apply the MustInherit keyword to the component definition.
- C. Apply the ComVisible(True) attribute to the assembly and component definition.
- D. Create a primary interop assembly for the assembly that hosts your component.
- E. Apply the NotInheritable keyword to the component definition.
- F. Apply the Public keyword to the component definition.

Answer: A AND E AND F

5. You are an enterprise application developer. You are creating a component that processes loan requests. Your component will be used inside Microsoft Windows Forms client applications. The loan request form is complex and time consuming to complete. Loan data is saved to a Microsoft SQL Server 2005 database.

You need to ensure that in case of a system failure the loan officer does not need to re-enter any loan data. What should you do?

- A. Implement a private Save method that saves all property values to the database. Call the Save method from inside your components finalizer.
- B. Implement code inside the Set accessor for each property that saves the property value to the database.
- C. Implement a public Save method that saves all property values to a static variable.
- D. Implement code inside the Set accessor that saves the property value to a static variable.

Answer: B

6. You are an enterprise application developer. You are creating a component that processes loan requests. Your component will be used inside Microsoft Windows Forms client applications. The loan request form is complex and time consuming to complete. Loan data is saved to a Microsoft SQL Server 2005 database.

You need to ensure that in case of a system failure the loan officer does not need to re-enter any loan data. What should you do?

- A. Implement a Private Save method that saves all Property values to the database. Call the Save method from inside your components finalizer.
- B. Implement code inside the Set accessor for each Property that saves the Property value to the database.
- C. Implement a Public Save method that saves all Property values to a Shared variable.
- D. Implement code inside the Set accessor that saves the Property value to a Shared variable.

Answer: B

7. You are an enterprise application developer. You are creating a component to process geospatial data. The component retrieves large sets of data from a Microsoft SQL Server database. Each data point consists of two decimal values: one value represents longitude and the other value represents latitude. You need to design a data format that minimizes the managed heap memory allocation needed for each

data point within the component.

What should you do?

- A. Design a custom class that contains private fields for the longitude and the latitude, and design read-only public properties for the longitude and the latitude.
- B. Design an XML element that contains an attribute for each longitude value and each latitude value.
- C. Design an ADO.NET DataRow class that contains DataColumnns for the longitude and latitude values.
- D. Design a custom Struct that contains a public field for the longitude value and a public field for the latitude value.

Answer: D

8. You are an enterprise application developer. You are creating a component to process geospatial data. The component retrieves large sets of data from a Microsoft SQL Server database. Each data point consists of two decimal values: one value represents longitude and the other value represents latitude. You need to design a data format that minimizes the managed heap memory allocation needed for each data point within the component.

What should you do?

- A. Design a custom class that contains Private fields for the longitude and the latitude, and design read-only Public properties for the longitude and the latitude.
- B. Design an XML element that contains an attribute for each longitude value and each latitude value.
- C. Design an ADO.NET DataRow class that contains DataColumnns for the longitude and latitude values.
- D. Design a custom Structure that contains a Public field for the longitude value and a Public field for the latitude value.

Answer: D

9. When you execute a client application, the following exception is thrown.

EncryptedKeyToken is expected but not present in the security header of the incoming message.

You discover that the exception is thrown when the client application invokes a Web service named Math with the following code. (Line numbers are included for reference only.)

```
01 try
02 {
03     MathWse ws = new MathWse ();
04     int result = ws.Add(1, 2);
05 }
06 catch (Exception ex)
07 {
08     MessageBox.Show(ex.Message);
```

09 }

The client application and Web service have the same Web Services Enhancements (WSE) 3.0 policy. The policy configuration file contains the following policy section.

```
<policy name="Secure">
  <anonymousForCertificateSecurity
    establishSecurityContext="false"
    renewExpiredSecurityContext="true"
    requireSignatureConfirmation="false"
    messageProtectionOrder="SignBeforeEncrypt"
    requireDerivedKeys="true"
    ttlInSeconds="300">
    <!-- XML defining the serviceToken and protection -->
  </anonymousForCertificateSecurity>
</policy>
```

You need to ensure that the client application can communicate with the Web service.

What should you do?

A. Add the following code between lines 03 and 04.

```
ws.SetPolicy("Secure");
```

B. Replace line 03 with the following code.

```
Math ws = new Math();
```

C. Add the following code between lines 03 and 04.

```
ws.UseDefaultCredentials = true;
```

D. Add the following code between lines 03 and 04.

```
UsernameToken u = new UsernameToken("userid", "password");
```

```
EncryptedKeyToken et = new EncryptedKeyToken(u);
```

```
ws.SetClientCredential(et);
```

E. Add the following code between lines 03 and 04.

```
ws.SetPolicy("anonymousForCertificateSecurity")
```

Answer: A

10. When you execute a client application, the following exception is thrown.

EncryptedKeyToken is expected but not present in the security header of the incoming message.

You discover that the exception is thrown when the client application invokes a Web service named Math with the following code. (Line numbers are included for reference only.)

01 Try

```
02 Dim ws As New MathWse()  
03 Dim i As Integer = ws.Add(1, 2)  
04 Console.WriteLine(i.ToString())  
05 Catch ex As Exception  
06 MessageBox.Show(ex.Message)  
07 End Try
```

The client application and Web service have the same Web Services Enhancements (WSE) 3.0 policy. The policy configuration file contains the following policy section.

```
<policy name="Secure">  
  <anonymousForCertificateSecurity  
    establishSecurityContext="false"  
    renewExpiredSecurityContext="true"  
    requireSignatureConfirmation="false"  
    messageProtectionOrder="SignBeforeEncrypt"  
    requireDerivedKeys="true"  
    ttlInSeconds="300">  
    <!-- XML defining the serviceToken and protection -->  
  </anonymousForCertificateSecurity>  
</policy>
```

You need to ensure that the client application can communicate with the Web service.

What should you do?

A. Add the following code between lines 02 and 03.

```
ws.SetPolicy("Secure")
```

B. Replace line 02 with the following code.

```
Dim ws As New Math()
```

C. Add the following code between lines 02 and 03.

```
ws.UseDefaultCredentials = True
```

D. Add the following code between lines 02 and 03.

```
Dim u As New UsernameToken("userid", "password")
```

```
Dim et As New EncryptedKeyToken(u)
```

```
ws.SetClientCredential(et)
```

E. Add the following code between lines 02 and 03.

```
ws.SetPolicy("anonymousForCertificateSecurity")
```

Answer: A

11. A client application calls a Web service named Math. Both the client application and Math are configured

with a Web Services Enhancements (WSE) 3.0 policy named Secure to validate anonymous access for certificate security.

A Web reference to the Math Web service is added to the client application's project using Microsoft Visual Studio?2005. When the client application is built and executed, a SoapException exception is thrown with the following message.

The security requirements are not met because the security header is not included in the incoming message.

You need to ensure that the application runs without throwing the SoapException exception.

What should you do?

A. Add the following attribute to the Math proxy class definition.

```
[Microsoft.Web.Services3.Policy("Secure")]
```

B. Set the Name property for the WebServiceBindingAttribute attribute on the Math proxy class definition to MathWseSoap.

C. Add the following attribute to the Math proxy class definition.

```
[Microsoft.Web.Services3.Policy("anonymousForCertificateSecurity")]
```

D. Modify the Math proxy class so that it derives from the following protocol.

```
System.Web.Services.Protocols.SoapHttpClientProtocol
```

Answer: A

12. A client application calls a Web service named Math. Both the client application and Math are configured with a Web Services Enhancements (WSE) 3.0 policy named Secure to validate anonymous access for certificate security.

A Web reference to the Math Web service is added to the client application's project using Microsoft Visual Studio?2005. When the client application is built and executed, a SoapException exception is thrown with the following message.

The security requirements are not met because the security header is not included in the incoming message.

You need to ensure that the application runs without throwing the SoapException exception.

What should you do?

A. Add the following attribute to the Math proxy class definition.

```
<Microsoft.Web.Services3.Policy("Secure")>
```

B. Set the Name property for the WebServiceBindingAttribute attribute on the Math proxy class definition to MathWseSoap.

C. Add the following attribute to the Math proxy class definition.

```
<Microsoft.Web.Services3.Policy("anonymousForCertificateSecurity")>
```

D. Modify the Math proxy class so that it derives from the following class.

System.Web.Services.Protocols.SoapHttpClientProtocol

Answer: A

13. You are an enterprise application developer. You are manipulating a collection of customer, product, and supplier objects.

The collection objects must fulfill the following requirements:

The objects must use custom sort methods on different properties of the respective classes.

The objects must be strongly typed.

A developer from your team decides to use the following collection classes.

```
abstract class MyCollectionBase : System.Collections.CollectionBase {
    abstract public void Sort();
}
public class CustomerCollection : MyCollectionBase {
    //Code overriding CollectionBase methods
    public override void Sort(){
        //Customer sorting code
    }
}
public class SupplierCollection : MyCollectionBase {
    //Code overriding CollectionBase methods
    public override void Sort(){
        //Supplier sorting code
    }
}
public class ProductCollection : MyCollectionBase {
    //Code overriding CollectionBase methods
    public override void Sort(){
        //Product sorting code
    }
}
```

You need to review the code and recommend improvements to simplify maintenance, if necessary.

What should you conclude and recommend?

- A. The code does not need to be modified.
- B. The code needs to be modified. The MyCollectionBase class must implement the ICollection interface instead of inheriting from the CollectionBase class.
- C. The code needs to be modified. Use List<T> class instead of creating custom collections.

D. The code needs to be modified. The child collection classes must inherit from the CollectionBase class instead of the MyCollectionBase class.

Answer: C

14. You are an enterprise application developer. You are manipulating a collection of customer, product, and supplier objects.

The collection objects must fulfill the following requirements:

The objects must use custom sort methods on different properties of the respective classes.

The objects must be strongly typed.

A developer from your team decides to use the following collection classes.

```
Public MustInherit Class MyCollectionBase
    Inherits System.Collections.CollectionBase
    Public MustOverride Sub Sort()
```

End Class

```
Public Class CustomerCollection
    Inherits MyCollectionBase
    'Code overriding CollectionBase methods
    Public Overrides Sub Sort()
        'Customer sorting method
    End Sub
```

End Class

```
Public Class SupplierCollection
    Inherits MyCollectionBase
    'Code overriding CollectionBase methods
    Public Overrides Sub Sort()
        'Supplier sorting method
    End Sub
```

End Class

```
Public Class ProductCollection
    Inherits MyCollectionBase
    'Code overriding CollectionBase methods
    Public Overrides Sub Sort()
        'Product sorting method
    End Sub
```

End Class

You need to review the code and recommend improvements to simplify maintenance, if necessary.

What should you conclude and recommend?

- A. The code does not need to be modified.
- B. The code needs to be modified. The MyCollectionBase class must implement the ICollection interface instead of inheriting from the CollectionBase class.
- C. The code needs to be modified. Use List(Of T) class instead of creating custom collections.
- D. The code needs to be modified. The child collection classes must inherit from the CollectionBase class instead of the MyCollectionBase class.

Answer: C

15. A Web service application uses Web Services Enhancements (WSE) 3.0.

A class named RejectUnknownActorFilter is derived from the SoapFilter class. The RejectUnknownActorFilter class throws a SoapException exception if the request contains an unexpected actor.

A class defines a policy assertion as follows. (Line numbers are included for reference only.)

```
01 public class RequireActorAssertion : PolicyAssertion {
02     public override SoapFilter
03         CreateClientInputFilter(FilterCreationContext context) {
04         return null;
05     }
06     public override SoapFilter
07         CreateClientOutputFilter(FilterCreationContext context) {
08         return null;
09     }
10     public override SoapFilter
11         CreateServiceInputFilter(FilterCreationContext context) {
12         return null;
13     }
14     public override SoapFilter
15         CreateServiceOutputFilter(FilterCreationContext context) {
16         return null;
17     }
18 }
```

You need to ensure that the Web service rejects any SOAP request that contains an unexpected actor. Your code must minimize the server resources used to process the request.

What should you do?

- A. Replace line 04 with the following line of code.

```
return new RejectUnknownActorFilter();
```

B. Replace line 08 with the following line of code.

```
return new RejectUnknownActorFilter();
```

C. Replace line 12 with the following line of code.

```
return new RejectUnknownActorFilter();
```

D. Replace line 16 with the following line of code.

```
return new RejectUnknownActorFilter();
```

Answer: C

16. A Web service application uses Web Services Enhancements (WSE) 3.0.

A class named `RejectUnknownActorFilter` is derived from the `SoapFilter` class. The `RejectUnknownActorFilter` class throws a `SoapException` exception if the request contains an unexpected actor.

A class defines a policy assertion as follows. (Line numbers are included for reference only.)

```
01 Public Class RequireActorAssertion
02     Inherits PolicyAssertion
03     Public Overrides Function CreateClientInputFilter(ByVal _
           context As FilterCreationContext) As SoapFilter
04         Return Nothing
05     End Function
06
07     Public Overrides Function CreateClientOutputFilter(ByVal _
           context As FilterCreationContext) As SoapFilter
08         Return Nothing
09     End Function
10
11     Public Overrides Function CreateServiceInputFilter(ByVal _
           context As FilterCreationContext) As SoapFilter
12         Return Nothing
13     End Function
14
15     Public Overrides Function CreateServiceOutputFilter(ByVal _
           context As FilterCreationContext) As SoapFilter
16         Return Nothing
17     End Function
18 End Class
```

You need to ensure that the Web service rejects any SOAP request that contains an unexpected actor. Your code must minimize the server resources used to process the request.

What should you do?

A. Replace line 04 with the following line of code.

```
Return New RejectUnknownActorFilter()
```

B. Replace line 08 with the following line of code.

```
Return New RejectUnknownActorFilter()
```

C. Replace line 12 with the following line of code.

```
Return New RejectUnknownActorFilter()
```

D. Replace line 16 with the following line of code.

```
Return New RejectUnknownActorFilter()
```

Answer: C

17. An application has components named ComponentA, ComponentB, and ComponentC.

ComponentA and ComponentB update tables in a database named DB1. ComponentC updates tables in a database named DB2.

At run time, ComponentA is executed with either ComponentB or ComponentC in a single transaction.

You need to compose the transaction to minimize the use of the system resources.

What should you do?

A. Write the following code for the transaction.

```
[AutoComplete]
```

```
void ExecuteTransactions() {
```

```
    ...
```

```
}
```

B. Write the following code for the transaction.

```
void ExecuteTransactions() {
```

```
    try {
```

```
        ...
```

```
        ContextUtil.SetComplete();
```

```
    }
```

```
    catch {
```

```
        ContextUtil.SetAbort();
```

```
    }
```

```
}
```

C. Write the following code for the transaction.

```
void ExecuteTransactions() {
```

```
SqlConnection connection = new SqlConnection(...);
SqlConnection trans = connection.BeginTransaction();
try {
    ...
    trans.Commit();
}
catch {
    trans.Rollback();
}
}
```

D. Write the following code for the transaction.

```
void ExecuteTransactions() {
    using (TransactionScope txscope = new TransactionScope()) {
        ...
        txscope.Complete();
    }
}
```

Answer: D

18. An application has components named ComponentA, ComponentB, and ComponentC. ComponentA and ComponentB update tables in a database named DB1. ComponentC updates tables in a database named DB2.

At run time, ComponentA is executed with either ComponentB or ComponentC in a single transaction.

You need to compose the transaction to minimize the use of the system resources.

What should you do?

A. Write the following code for the transaction.

```
<AutoComplete> _
Sub ExecuteTransactions()
    ...
End Sub
```

B. Write the following code for the transaction.

```
Sub ExecuteTransactions()
    Try
        ...
        ContextUtil.SetComplete()
    Catch
```

```
ContextUtil.SetAbort()
```

```
End Try
```

```
End Sub
```

C. Write the following code for the transaction.

```
Sub ExecuteTransactions()
```

```
Dim connection As SqlConnection = New SqlConnection(...)
```

```
Dim trans as SqlTransaction = connection.BeginTransaction();
```

```
Try
```

```
...
```

```
trans.Commit()
```

```
Catch
```

```
trans.Rollback()
```

```
End Try
```

```
End Sub
```

D. Write the following code for the transaction.

```
Sub ExecuteTransactions()
```

```
Using txscope As TransactionScope = new TransactionScope()
```

```
...
```

```
txscope.Complete()
```

```
End Using
```

```
}
```

Answer: D

19. You are writing a set of .NET Framework remoting components that will be hosted on an application server named Appserver1. The components must have the highest possible throughput.

You create the following class to be hosted in the remoting server.

```
public class OrderService : MarshalByRefObject {
```

```
public double SaveOrders (DataTable orders) {
```

```
//some lengthy synchronous database calls
```

```
...
```

```
}
```

```
}
```

You need to ensure that OrderService is available to remoting clients.

What should you do?

A. Within the initialization routine of the server application, include the following code segment.

```
TcpChannel chan = new TcpChannel(3085);
```

```
ChannelServices.RegisterChannel(chan);
RemotingConfiguration.RegisterWellKnownServiceType(
    typeof(OrderService),
    "OrderService.rem",
    WellKnownObjectMode.SingleCall);
```

B. Within the initialization routine of the server application, include the following code segment.

```
HttpChannel chan = new HttpChannel(3085);
ChannelServices.RegisterChannel(chan);
RemotingConfiguration.RegisterWellKnownServiceType(
    typeof(OrderService),
    "OrderService.rem",
    WellKnownObjectMode.Singleton);
```

C. Within the initialization routine of the server application, include the following code segment.

```
TcpChannel chan = new TcpChannel();
ChannelServices.RegisterChannel(chan);
OrderService sm = (OrderService)Activator.GetObject(
    typeof(OrderService),
    "tcp://appserver1:3085/OrderService.rem");
```

D. Within the initialization routine of the server application, include the following code segment.

```
HttpChannel chan = new HttpChannel();
ChannelServices.RegisterChannel(chan);
OrderService sm = (OrderService)Activator.GetObject(
    typeof(OrderService),
    "http://appserver1:3085/OrderServiceHost/OrderService.rem");
```

Answer: A

20. You are writing a set of .NET Framework remoting components that will be hosted on an application server named Appserver1. The components must have the highest possible throughput.

You create the following class to be hosted in the remoting server.

```
Public Class OrderService
    Inherits MarshalByRefObject
    Public Function SaveOrders(ByVal orders As DataTable) As Double
        ...
    End Function
End Class
```

You need to ensure that OrderService is available to remoting clients.

What should you do?

A. Within the initialization routine of the server application, include the following code segment.

```
Dim chan As New TcpChannel(3085)
ChannelServices.RegisterChannel(chan, False)
RemotingConfiguration.RegisterWellKnownServiceType( _
    GetType(OrderService), _
    "OrderService.rem", _
    WellKnownObjectMode.SingleCall)
```

B. Within the initialization routine of the server application, include the following code segment.

```
Dim chan As New HttpChannel()
ChannelServices.RegisterChannel(chan, False)
RemotingConfiguration.RegisterWellKnownServiceType( _
    GetType(OrderService), _
    "OrderService.rem", _
    WellKnownObjectMode.Singleton)
```

C. Within the initialization routine of the server application, include the following code segment.

```
Dim chan As New TcpChannel(3085)
ChannelServices.RegisterChannel(chan, False)
Dim sm As OrderService = CType(Activator.GetObject( _
    GetType(OrderService), _
    "tcp://appserver1:3085/OrderService.rem"), _
    OrderService)
```

D. Within the initialization routine of the server application, include the following code segment.

```
Dim chan As New HttpChannel()
ChannelServices.RegisterChannel(chan, False)
Dim sm As OrderService = CType(Activator.GetObject( _
    GetType(OrderService), _
    "http://appserver1:3085/OrderServiceHost/OrderService.rem"), _
    OrderService)
```

Answer: A



Contact Test4pass

We are proud of our high-quality customer service, which serves you around the clock 24/7.

To get your problem resolved instantly, live support

Read Our Frequently Asked Questions (FAQs)

We have gathered the most frequently asked questions for you. Please read our list of FAQs.

Contact us by Live Messenger

Sales: [Test4pass\(at\)hotmail.com](mailto:Test4pass(at)hotmail.com)

You can reach us at any of the email addresses listed below

Please allow up to 24 hours for us to respond

- MSN: Test4pass@hotmail.com